

DECLARATION OF PERFORMANCE

1. Description and determination of product:

Hexagon Head Bolt DIN 933, Zn 8.8

2. Application:

The bolts are used during manufacturing or for repair of machinery and its equipment and for attaching elements and structures in a set with other fasteners.

3. Name, registered trade name or registered trademark and contact address:


KAM-04 Ltd.

176, Brezovsko Shousse str., 4003 Plovdiv, Bulgaria

Trade mark



- 4. System or systems for assessment and verification of constancy of performance.
- 5. Declared performance indicators:



Hexagon Head Bolt DIN 933, Zn 8.8

Main indicators	Performance indicator				Technical specifications
1. Sizes					
d x L /mm/	k /mm/	s /mm/	e min /mm/	thread pitch /mm/	
M5xL	3.35 – 3.65	7.78 - 8.00	8.79	0.8	
M6xL	3.85 – 4.15	9.78 – 10.00	11.05	1.0	
M8xL	5.15 – 5.45	12.73 – 13.00	14.38	1.25	
M10xL	6.22 - 6.56	16.73 – 17.00	18.90	1.5	sizes
M12xL	7.32 – 7.68	18.67 – 19.00	21.10	1.75	DIN 933
M14xL	8.62 – 8.98	21.67 – 22.00	24.49	2.0	
M16xL	9.82 – 10.20	23.67 – 24.00	26.75	2.0	thread
M18xL	11.30 – 11.70	26.16 – 27.00	29.56	2.5	DIN 13, part 12
M20xL	12.30 – 12.70	29.16 - 30.00	32.95	2.5	ISO 965/1-1980
M22xL	13.78 – 14.22	31.61 – 32.00	35.72	2.5	
M24xL	14.8 – 15.20	35.00 - 36.00	39.55	3	
M27xL	16.70 – 17.40	40.00 – 41.00	45.20	3	
M30xL	18.28 – 19.12	45.00 – 46.00	50.85	3.5	
M36xL	22.58 – 23.42	53.80 - 55.00	60.79	4.0	
2. Grade	8.8				ISO 898-1:2013
3. Durability	Zinc plated - 3,9÷5,7 μm				ISO 4042:1999

6. The performance of the product identified in p.1 corresponds to the declared performance in p.5

7. The current Declaration of Performance is issued entirely under the responsibility of the company indicated in p.3 on the basis of a declaration of the manufacturer /supplier/.

Date: 21.04.2015 Place: Plovdiv KAM-04 Ltd:

/ Product Manager /





